

## 1. Identification

<b>Product identifier</b>	<b>GRAFOIL® TG-732 Anti-Seize Lubricant</b>
<b>Other means of identification</b>	
<b>SDS number</b>	0102
<b>Recommended use</b>	Thread Lubricant.
<b>Recommended restrictions</b>	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Manufacturer/Supplier</b>	NeoGraf Solutions, LLC 11709 Madison Ave. Lakewood, OH 44107 +1 216-529-3777
<b>Contact person</b>	Product Responsibility Manager +1 216-529-3724
<b>E-mail</b>	info@neograf.com
<b>Emergency telephone number</b>	For Chemical Emergency ONLY, call 3E at:  +1-866-519-4752, +1-760-476-3962 Access Code: 333366

## 2. Hazard(s) identification

<b>Physical hazards</b>	Not classified.
<b>Health hazards</b>	Not classified.
<b>OSHA defined hazards</b>	Not classified.
<b>Label elements</b>	
<b>Hazard symbol</b>	None.
<b>Signal word</b>	None.
<b>Hazard statement</b>	The mixture does not meet the criteria for classification.
<b>Precautionary statement</b>	
<b>Prevention</b>	Observe good industrial hygiene practices.
<b>Response</b>	Wash hands after handling.
<b>Storage</b>	Store away from incompatible materials.
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.
<b>Hazard(s) not otherwise classified (HNOC)</b>	Combustible.
<b>Supplemental information</b>	None.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	CAS number	%
Graphite	7782-42-5	30 - 40
Petrolatum USP	8009-03-8	30 - 40
White Mineral Oils	8042-47-5	30 - 40
Crystalline silica	14808-60-7	< 0.8

**Composition comments** All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**Most important symptoms/effects, acute and delayed** Direct contact with eyes may cause temporary irritation.

**Indication of immediate medical attention and special treatment needed** Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

**Suitable extinguishing media** Water spray. Foam. Dry powder. Dry chemicals. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical** During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Fire fighting equipment/instructions** Cool containers exposed to heat with water spray and remove container, if no risk is involved.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** Combustible.

#### 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up** The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

**Precautions for safe handling** Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas.

**Conditions for safe storage, including any incompatibilities** Keep away from heat and sources of ignition. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

##### Occupational exposure limits

##### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Components	Type	Value
Crystalline silica (CAS 14808-60-7)	TWA	0.05 mg/m <sup>3</sup>

##### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Graphite (CAS 7782-42-5)	PEL	5 mg/m <sup>3</sup>	Respirable fraction.
		15 mg/m <sup>3</sup>	Total dust.
Petrolatum USP (CAS 8009-03-8)	PEL	5 mg/m <sup>3</sup>	Mist.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value	Form
White Mineral Oils (CAS 8042-47-5)	PEL	5 mg/m <sup>3</sup>	Mist.

**US. OSHA Table Z-3 (29 CFR 1910.1000)**

Components	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0.1 mg/m <sup>3</sup>	Respirable.
Graphite (CAS 7782-42-5)	TWA	2.4 mppcf 15 mppcf	Respirable.

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0.025 mg/m <sup>3</sup>	Respirable fraction.
Graphite (CAS 7782-42-5)	TWA	2 mg/m <sup>3</sup>	Respirable fraction.
Petrolatum USP (CAS 8009-03-8)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.
White Mineral Oils (CAS 8042-47-5)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0.05 mg/m <sup>3</sup>	Respirable dust.
Graphite (CAS 7782-42-5)	TWA	2.5 mg/m <sup>3</sup>	Respirable.
Petrolatum USP (CAS 8009-03-8)	STEL	10 mg/m <sup>3</sup>	Mist.
White Mineral Oils (CAS 8042-47-5)	TWA	5 mg/m <sup>3</sup>	Mist.
	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines**

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. Occupational Exposure Limits are not relevant to the current physical form of the product.

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Skin protection****Hand protection**

Wear appropriate chemical resistant gloves.

**Skin protection****Other**

Wear appropriate chemical resistant clothing.

**Respiratory protection**

Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance**

Black paste.

**Physical state**

Solid.

**Form**

Paste.

<b>Color</b>	Black.
<b>Odor</b>	Petroleum.
<b>Odor threshold</b>	Not applicable.
<b>pH</b>	Not applicable.
<b>Melting point/freezing point</b>	Not applicable.
<b>Initial boiling point and boiling range</b>	Not applicable.
<b>Flash point</b>	399.2 °F (204.0 °C) Cleveland Open Cup
<b>Evaporation rate</b>	Not applicable.
<b>Flammability (solid, gas)</b>	Will burn if involved in a fire.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not applicable.
<b>Flammability limit - upper (%)</b>	Not applicable.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not applicable.
<b>Vapor density</b>	Not applicable.
<b>Relative density</b>	No data available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	< 0.1 % Insoluble.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Viscosity</b>	213.5 cP
<b>Other information</b>	
<b>Bulk density</b>	1 g/cc
<b>Density</b>	No data available.
<b>Explosive limit</b>	Not applicable.
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents. Chlorine.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	No adverse effects due to inhalation are expected.
<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	May cause discomfort if swallowed.

<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Direct contact with eyes may cause temporary irritation.
---	--

### Information on toxicological effects

**Acute toxicity**

<b>Components</b>	<b>Species</b>	<b>Test Results</b>								
Graphite (CAS 7782-42-5)										
<b>Acute</b>										
<b>Oral</b>										
LD50	Rat	> 10000 mg/kg								
White Mineral Oils (CAS 8042-47-5)										
<b>Acute</b>										
<b>Dermal</b>										
LD50	Rabbit	> 2000 mg/kg								
<b>Inhalation</b>										
<i>Aerosol</i>										
LC50	Rat	> 5 mg/l								
<b>Oral</b>										
LD50	Rat	> 5000 mg/kg								
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.									
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.									
<b>Respiratory or skin sensitization</b>										
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.									
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.									
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.									
<b>Carcinogenicity</b>	<p>In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. Risk of cancer cannot be excluded with prolonged exposure.</p> <p><b>IARC Monographs. Overall Evaluation of Carcinogenicity</b></p> <table> <tr> <td>Crystalline silica (CAS 14808-60-7)</td> <td>1 Carcinogenic to humans.</td> </tr> <tr> <td>Petrolatum USP (CAS 8009-03-8)</td> <td>3 Not classifiable as to carcinogenicity to humans.</td> </tr> </table> <p><b>NTP Report on Carcinogens</b></p> <table> <tr> <td>Crystalline silica (CAS 14808-60-7)</td> <td>Known To Be Human Carcinogen.</td> </tr> </table> <p><b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)</b></p> <table> <tr> <td>Crystalline silica (CAS 14808-60-7)</td> <td>Cancer</td> </tr> </table>		Crystalline silica (CAS 14808-60-7)	1 Carcinogenic to humans.	Petrolatum USP (CAS 8009-03-8)	3 Not classifiable as to carcinogenicity to humans.	Crystalline silica (CAS 14808-60-7)	Known To Be Human Carcinogen.	Crystalline silica (CAS 14808-60-7)	Cancer
Crystalline silica (CAS 14808-60-7)	1 Carcinogenic to humans.									
Petrolatum USP (CAS 8009-03-8)	3 Not classifiable as to carcinogenicity to humans.									
Crystalline silica (CAS 14808-60-7)	Known To Be Human Carcinogen.									
Crystalline silica (CAS 14808-60-7)	Cancer									
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.									
<b>Specific target organ toxicity - single exposure</b>	Not classified.									
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.									
<b>Aspiration hazard</b>	Not an aspiration hazard.									
<b>Chronic effects</b>	Prolonged exposure may cause chronic effects.									

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
White Mineral Oils (CAS 8042-47-5)			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	LL50	Invertebrates (Invertebrates)	100 mg/l
Fish	LL50	Fish	10 mg/l

**Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** No data available.

**Mobility in soil** The product is insoluble in water.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## 15. Regulatory information

**US federal regulations** This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Crystalline silica (CAS 14808-60-7)

Cancer  
lung effects  
immune system effects  
kidney effects

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** Yes

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.**US state regulations****US. Massachusetts RTK - Substance List**

Crystalline silica (CAS 14808-60-7)

Graphite (CAS 7782-42-5)

Petrolatum USP (CAS 8009-03-8)

White Mineral Oils (CAS 8042-47-5)

**US. New Jersey Worker and Community Right-to-Know Act**

Crystalline silica (CAS 14808-60-7)

Graphite (CAS 7782-42-5)

Petrolatum USP (CAS 8009-03-8)

White Mineral Oils (CAS 8042-47-5)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Crystalline silica (CAS 14808-60-7)

Graphite (CAS 7782-42-5)

Petrolatum USP (CAS 8009-03-8)

White Mineral Oils (CAS 8042-47-5)

**US. Rhode Island RTK**

Crystalline silica (CAS 14808-60-7)

Graphite (CAS 7782-42-5)

Petrolatum USP (CAS 8009-03-8)

**California Proposition 65****WARNING:** This product can expose you to Crystalline silica, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).**California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Crystalline silica (CAS 14808-60-7)

Listed: October 1, 1988

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

Crystalline silica (CAS 14808-60-7)

Petrolatum USP (CAS 8009-03-8)

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 09-February-2018

**Revision date** -

**Version #** 01

**NFPA ratings**



### Disclaimer

NeoGraf Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.