

Test Report No. 4669234-CH08 Date: September 15, 2020 Page 1 of 14

NeoGraf Solutions, LLC 11709 Madison Ave. Lakewood, OH 44107 United States

The following sample(s) was/were submitted and identified by/on behalf of the client as:

HITHERM™ 2500 Series

Sample Received Date: 9/2/2020

Testing Period: 9/3/2020 – 9/14/2020

Test Requested : Please refer to the result summary.

Test Method & Results : Please refer to next page(s).

Result Summary :

Test Requested	Comment
1. RoHS Directive 2011/65/EU Annex II	PASS
2. Directive (EU) 2015/863 of amending RoHS Directive 2011/65/EU	PASS
3. US California Proposition 65 – Phthalate Content	PASS
4. Halogen Content (Cl, Br, I, F) of the submitted sample(s) with reference to BS EN 14582:2016	See Test Results
5. Antimony Content	See Test Results
6. Beryllium Content	See Test Results
7. Annex XVII of REACH Regulation (EC) No. 1907/2006 and its amendments – Perfluorooctane Sulfonates (PFOS) Content (Formerly Directive 2006/122/EC)	PASS
8. Perfluorooctanoic Acid (PFOA) Content	See Test Results

Signed for and on behalf of SGS North America, Inc. Prepared By:

Shaina Gibbons

Technical Report Writer, Chemistry Laboratory

Shain Story

Crystal Melecio

Report Writer, Chemistry Laboratory

Criptal Melecia



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 2 of 14

1. RoHS Directive 2011/65/EU Annex II

()			Results		
Test Item(s):	Unit	Test Method	1	MDL	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321- 5:2013	ND	2	100
Lead (Pb)	mg/kg	(Determination of Cd and Pb by ICP-OES and /or ICP-MS)	ND	2	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321- 4:2013 (Determination of Hg by ICP- OES and/ or ICP-MS)	ND	2	1000
Hexavalent Chromium (CrVI)	mg/kg	With reference to IEC 62321- 7-2:2017 (Determination of CrVI by UV-Vis)	ND*	8	1000
Sum of PBBs	mg/kg		ND	-	1000
Monobromobiphenyl	mg/kg		ND	5	-
Dibromobiphenyl	mg/kg		ND	5	-
Tribromobiphenyl	mg/kg		ND	5	-
Tetrabromobiphenyl	mg/kg		ND	5	-
Pentabromobiphenyl	mg/kg		ND	5	-
Hexabromobiphenyl	mg/kg		ND	5	-
Heptabromobiphenyl	mg/kg		ND	5	-
Octabromobiphenyl	mg/kg		ND	5	-
Nonabromobiphenyl	mg/kg	With reference to IEC 62321-	ND	5	-
Decabromobiphenyl	mg/kg	6:2015	ND	5	-
Sum of PBDEs	mg/kg	(Determination of PBB and	ND	-	1000
Monobromodiphenyl ether	mg/kg	PBDE by GC-MS)	ND	5	-
Dibromodiphenyl ether	mg/kg		ND	5	-
Tribromodiphenyl ether	mg/kg		ND	5	-
Tetrabromodiphenyl ether	mg/kg		ND	5	-
Pentabromodiphenyl ether	mg/kg		ND	5	-
Hexabromodiphenyl ether	mg/kg		ND	5	-
Heptabromodiphenyl ether	mg/kg		ND	5	-
Octabromodiphenyl ether	mg/kg		ND	5	-
Nonabromodiphenyl ether	mg/kg		ND	5	-
Decabromodiphenyl ether	mg/kg		ND	5	-
Conclusion	/		PASS	/	/

Sample Description:

1. HITHERM™ 2500 Series

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 3 of 14

Note:

- (a) mg/kg = ppm; 0.1wt% = 1000ppm
- (b) ND= not detected
- (c) MDL = Method Detection Limit
- (d) = not regulated
- (e) * = Total Chromium analysis by ICP-MS and/or ICP-OES was not detected in submitted sample. Therefore, Hexavalent Chromium determination using UV-Visible Spectroscopy was not performed.
- (f) IEC 62321 series is equivalent to EN 62321 series http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP ORG ID,FSP LANG ID: 1258637,25

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 4 of 14

2. Directive (EU) 2015/863 of amending RoHS Directive 2011/65/EU

Test Item(s):	Unit	Test Method	Results	MDL	Limit
rest item(s).	Offic	rest wethod	1	MDL	Lillin
Bis (2-ethylhexyl) Phthalate (DEHP)	mg/kg	IEC 62321-8:2017	ND	50	1000
Butyl Benzyl Phthalate (BBP)	mg/kg	(Determination of DEHP, BBP,	ND	50	1000
Dibutyl Phthalate (DBP)	mg/kg	DBP and DIBP by GC-MS)	ND	50	1000
Diisobutyl Phthalate (DIBP)	mg/kg		ND	50	1000
Conclusion	/	/	PASS	/	/

Sample Description:

1. HITHERM™ 2500 Series

Note:

(a) mg/kg = ppm; 0.1wt% = 1000ppm

- (b) ND= not detected
- (c) MDL = Method Detection Limit
- (d) = not regulated
- (e) IEC 62321 series is equivalent to EN 62321 series http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:1258637,25

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 5 of 14

3. US California Proposition 65 - Phthalate Content

Test Method: With reference to CPSC-CH-C1001-09.4. Analysis was performed by GC-MS.

Phthalates	CAS No.	Result (ppm)	Detection Limit (ppm)	Reference Limit (ppm)
Dibutyl Phthalate (DBP)	84-74-2	ND	150	1000
Benzylbutyl Phthalate (BBP)	85-68-7	ND	150	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	150	1000
Diisodecyl Phthalate (DIDP)	26761-40-0 / 68515-49-1	ND	150	1000
Di-n-hexyl Phthalate (DnHP)	84-75-3	ND	150	1000
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	ND	150	1000
Conclusion		PASS		

Sample Description:

1. HITHERM™ 2500 Series

- Note: 1. ppm = parts per million
 - 2. mg/kg = ppm
 - 3. 1% = 10000 ppm (mg/kg)
 - 4. ND = Not Detected

Remark:

The reference limit applied in testing is based on particular prop 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.

A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with Proposition 65 by clearly informing the consumer of potential exposure.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only.



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 6 of 14

4. Halogen Content (CI, Br, I, F) of the submitted sample(s) with reference to BS EN 14582:2016

With reference to **BS EN 14582:2016** "Characterization of waste – Halogen and sulfur content – Oxygen Combustion in closed systems and determination methods". Analysis was performed by Ion Chromatography.

Test Items	Unit	Method Detection Limit	1
Halogen – Chlorine (CI) CAS # 007782-50-5	mg/kg	50	ND
Halogen – Bromine (Br) CAS # 007726-95-6	mg/kg	50	ND
Halogen – Fluorine (F) CAS # 007782-41-4	mg/kg	50	140000
Halogen – lodine (I) CAS # 007553-56-2	mg/kg	50	ND

Sample Description:

1. HITHERM™ 2500 Series

Note: 1. mg/kg = milligram per kilogram

2. ND = Not Detected, reported when the reading is less than the detection limit value.

3. mg/kg = ppm



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 7 of 14

5. Antimony Content

Test Method: With reference to US EPA Method 3050B followed by analysis using ICP-OES and/or ICP-MS.

Test Item		Result (mg/kg) 1	Detection Limit (mg/kg)
Antimony	(Sb)	ND	2

Sample Description:

1. HITHERM™ 2500 Series

Note: 1. mg/kg = milligram per kilogram

2. ND = Not Detected, reported when the reading is less than the detection limit value.

3. mg/kg = ppm

6. Beryllium Content

Test Method: With reference to US EPA Method 3050B followed by analysis using ICP-OES and/or ICP-MS.

Test Item		Result (mg/kg)	Detection Limit (mg/kg)
Beryllium	(Be)	ND	2

Sample Description:

1. HITHERM™ 2500 Series

Note:

- 1. mg/kg = milligram per kilogram
- 2. ND = Not Detected, reported when the reading is less than the detection limit value.
- 3. mg/kg = ppm

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 8 of 14

7. Annex XVII of REACH Regulation (EC) No. 1907/2006 and its amendments – Perfluorooctane Sulfonates (PFOS) Content (Formerly Directive 2006/122/EC)

Test Method: With reference to CEN/TS 15968:2010. Analysis was performed by LC-MS.

Test Item	Result (%)	Detection Limit (%)	Permissible Limit (%)
Perfluorooctane sulfonates (PFOS)#	ND	0.001	0.1
Comment	PASS		

Sample Description:

1. HITHERM™ 2500 Series

Note: 1. % = percentage by weight

- 2. ND = Not Detected
- 3. # = Perfluorooctane sulfonates (PFOS) are represented by sum of PFOS Acid, PFOS Metal Salt and PFOS Amide.

Remark: Recommended requirement with reference to commission regulation (EU) No. 757/2010 amending Regulation (EC) No 850/2004 (previously restricted under entry 53 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006)

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 9 of 14

8. Perfluorooctanoic Acid (PFOA) Content

Test Method: With reference to CEN/TS 15968:2010. Analysis was performed by LC-MS / GC-MS.

Test Item	Result (%)	Detection
rest item	1	Limit (%)
Perfluorooctanoic Acid (PFOA)	ND	0.001

Sample Description:

1. HITHERM™ 2500 Series

Note: 1. % = percentage by weight

- 2. ND = Not Detected
- 3. + PFOA related substances refer to the sum of Perfluoro-1-iodooctane (PFOI) and 1H,1H,2H, 2H-Perfluoro-1-decanol (8:2 FTOH).




Test Report

No. 4669234-CH08

Date: September 15, 2020

Page 10 of 14

Flowchart for RoHS, Beryllium and Antimony Testing:



Note


- 1. The Cd, Pb, Hg, Cr and Sb contents test on polymeric samples were dissolved totally by pre-conditioning method according to above flow chart.
- 2. Cr6+ is performed only when total Cr is detected

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 11 of 14

Flowchart for Phthalates



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."




Test Report No. 4669234-CH08

Date: September 15, 2020

Page 12 of 14

Halogen Testing Flow Chart




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 13 of 14

PFOS/PFOA Testing Flow Chart



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 45 days only."



Test Report No. 4669234-CH08 Date: September 15, 2020 Page 14 of 14

Sample Photo:



SGS authenticates the photo on the original report only

*** End of Report ***